#### **Product datasheet**

#### **GAP**




### 9341763



### **GAP LED ADJ CL.I 1600 WW MFL**

### Description:

Outdoor recessed downlight/uplight model GAP LED ADJ CL.I 1600 WW MFL, LAMP brand. Made of black lacquered aluminium injection with electro coating treatment, tempered glass and exterior frame made of stainless steel AISI 304. Model for HI-POWER LED, with warm white colour temperature and control gear included. With Medium Flood optics. IP67, IK10 protection rating. Insulation class I. Orientable from 0° to 90°, and tilting between -30° and 30°.



ø267 mm

Finish: Stainless steel AISI 304

Weight: 3.800 g

Installation: Floor recessed

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 1.210 lm
 oK:
 3000

 Plum:
 25W
 CRI:
 80

Efficacy: 48,4 lm/w

Type: HI POWER CREE MacAdam: 4

**LED Lifetime:** 50.000 L90 B10 **Power Supply:** 220-240V 50/60Hz

Power: 21W Gear: Electronic

#### Light output tolerance +/- 10%





























Glass temperature: 52°C

Data according to regulations 2019/2020/EU and 2019/2015/EU


9341763

# GAP LED ADJ CL.I 1600 WW MFL



# PHOTOMETRIC DATA:

9341763 η = 100% Imax = 5617 cd/klm UTE: 1,00T CIE: 0 0 0 0 100



# **Product datasheet**

# **GAP**



# ACCESORIES:

# **Assembly**



Product code:

9300252



GAP ACC. REC BOX



Product code:

9300273

Description:

GAP ACC. REC CEILING RING

Data according to regulations 2019/2020/EU and 2019/2015/EU

# **GAP**





