Product datasheet

AMBIENT

AM2060DIMOOA840DB



AMBIENT G2 LC 600 D/I NW OP/AS DA BK

Description:

LAMP surface wall mounted system AMBIENT G2 LC 600 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

47,5	578,5	

Finish:Matte black RAL 9011Dimensions:600 x 80 x 48 mm

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	2.180 lm	°K :	4000
Plum:	18,4W	CRI :	80
Efficacy:	118,5 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	16W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light


AMBIENT

AM2060DIMOOA840DB

AMBIENT G2 LC 600 D/I NW OP/AS DA BK



PHOTOMETRIC DATA :



Worktitude for light

Product datasheet

AMBIENT

ACCESORIES :

Assembly



Product code: AM2AC060ABK

Description: AMBIENT G2 ACC FRONT END 600 AN. BLACK

Product code: AM2AC060ABL

Description: AMBIENT G2 ACC FRONT END 600 AN. BLUE



Product code: AM2AC060ABZ





Product code: AM2AC060ACH

Description: AMBIENT G2 ACC FRONT END 600 AN. CHAMP



Product code: AM2AC060AGD

Description: AMBIENT G2 ACC FRONT END 600 AN. GOLD



Product code: AM2AC060ARW

Description: AMBIENT G2 ACC FRONT END 600 AL RAW