

AM2060DRMOOP840NW



AMBIENT G2 LC 600 DIR NW OPAL WH

Description:

Finish:

LAMP surface wall mounted system AMBIENT G2 LC 600 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

	47,5	-	578,5	-
8				
	9,2			

Dimensions: 600 x 80 x 48 mm

Matte white RAL 9010

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output:	1.039 lm	⁰K :	4000
Plum:	9,6W	CRI :	80
Efficacy:	108,2 lm/w	MacAdam:	3
Туре:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Electronic
Power:	8W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:






AM2060DRMOOP840NW

AMBIENT G2 LC 600 DIR NW OPAL WH

PHOTOMETRIC DATA :





ACCESORIES :

Assembly



Product code: AM2AC060ABK

Description: AMBIENT G2 ACC FRONT END 600 AN. BLACK

Product code: AM2AC060ABL

Description: AMBIENT G2 ACC FRONT END 600 AN. BLUE



Product code: AM2AC060ABZ





Product code: AM2AC060ACH

Description: AMBIENT G2 ACC FRONT END 600 AN. CHAMP



Product code: AM2AC060AGD



Product code: AM2AC060ARW

Description: AMBIENT G2 ACC FRONT END 600 AL RAW



Product code: AM2AC060B



Product code: AM2AC060W

Description: AMBIENT G2 ACC FRONT END 600MM WH



Product code: AM2ACECB

Description: AMBIENT G2 ACC END COVER BK



Product code: AM2ACECW

Description: AMBIENT G2 ACC END COVER WH

Tel. +34937366800 Web www.lamp.es