

AM2120DI250O830DB



AMBIENT G2 IND 1200 D/I WW OP/OP DA BK

Description:


LAMP surface wall mounted fixture AMBIENT G2 IND 1200 D/I. Manufactured from extruded aluminum with an 75% recycling rate with Opal polycarbonate diffusers. Model for LED MID-POWER, colour temperature 3000K and IRC80. Electronic DALI gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: >72.000 L80B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).

Finish: Matte black RAL 9011

Dimensions: 1.200 x 80 x 48 mm

Installation: Wall mounted
TECHNICAL SPECIFICATIONS:


Light output:	3.960 lm	°K :	3000
Plum:	34,5W	CRI :	80
Efficacy:	114,8 lm/w	MacAdam:	3
Type:	MID POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	>72.000 L80B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	32W		

Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

AM2120DI25OO830DB


AMBIENT G2 IND 1200 D/I WW OP/OP DA BK

PHOTOMETRIC DATA :



ACCESORIES :


Assembly

**Product code:**

AM2ACIN120ABK

Description:


AMBIENT G2 ACC FRONT IND 1200 AN. BLACK

**Product code:**

AM2ACIN120ABL

Description:


AMBIENT G2 ACC FRONT IND 1200 AN. BLUE

**Product code:**

AM2ACIN120ABZ

Description:


AMBIENT G2 ACC FRONT IND 1200 AN. BRONZE

**Product code:**

AM2ACIN120ACH

Description:


AMBIENT G2 ACC FRONT IND 1200 AN. CHAMP

**Product code:**

AM2ACIN120AGD

Description:


AMBIENT G2 ACC FRONT IND 1200 AN. GOLD

**Product code:**

AM2ACIN120ARW

Description:


AMBIENT G2 ACC FRONT IND 1200 AL RAW

**Product code:**

AM2ACIN120B

Description:

AMBIENT G2 ACC FRONT IND 1200MM BK

**Product code:**

AM2ACIN120W

Description:

AMBIENT G2 ACC FRONT IND 1200MM WH