AM2120DRMOGZ840NW



AMBIENT G2 LC 1200 DIR NW GRAZER WH

Description:

LAMP surface wall mounted system AMBIENT G2 LC 1200 DIR. Manufactured from extruded aluminum with an 75% recycling rate with Grazer polycarbonate optic. Model for LED MID-POWER, colour temperature 4000K and IRC80. Electronic ON OFF gear included. IP40, IK07 ratings. Insulation Class I. Photobiological safety group 0. LED life time: 63.000 L90B10. Available luminaire body finishes: White and black. Frontal accessory sold separately with the desired finish. White, Black, Raw o Anodised (Gold, Bronze, Champagne, Blue and Black).



Finish: Matte white RAL 9010 1.200 x 80 x 48 mm Dimensions:

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

Light output: 4.219 lm °K: 4000 Plum: 30,5W CRI: 80 Efficacy: 138,3 lm/w 3 MacAdam:

Type: MID POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 63.000 L90B10 (Ta=25°C) Gear: Electronic

26W Power:

Light output tolerance +/- 10%



CLASE



























CUSTOM MADE OPTIONS:























AM2120DRMOGZ840NW

AMBIENT G2 LC 1200 DIR NW GRAZER WH

PHOTOMETRIC DATA:


AM2120DRMOGZ840NW


 $\eta = 100\%$


Imax = 821 cd/klm


UTE: 1,00T

CIE: 28 28 28 0 100











ACCESORIES: Assembly



Product code: AM2AC120ABK



AMBIENT G2 ACC FRONT INT 1200 AN. BLACK

Description:



Product code: AM2AC120ABL

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. BLUE



Product code: AM2AC120ABZ



AMBIENT G2 ACC FRONT INT 1200 AN. BRONZE



AM2AC120ACH

Description:

AMBIENT G2 ACC FRONT INT 1200 AN. CHAMP



Product code: AM2AC120AGD

Description: AMBIENT G2 ACC FRONT INT 1200 AN. GOLD



Product code: AM2AC120ARW

Description:

AMBIENT G2 ACC FRONT INT 1200 AL RAW



Product code:

AM2AC120B



AMBIENT G2 ACC FRONT INT 1200MM BK



Product code:

AM2AC120W

Description:

AMBIENT G2 ACC FRONT INT 1200MM WH



Product code:

AM2ACECB

Description:

AMBIENT G2 ACC END COVER BK



Product code:

AM2ACECW

Description:

AMBIENT G2 ACC END COVER WH

Data according to regulations 2019/2020/EU and 2019/2015/EU