

F31SF196MOOP840NW

- FIL35 SUR 1960 5180 NW OPAL WH.

**Description:**


**Finish:** Matte white RAL 9010

**Installation:** Surface


**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	3.101 lm	<b>°K :</b>	4000
<b>Plum:</b>	28W	<b>CRI :</b>	80
<b>Efficacy:</b>	110,8 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	MID POWER LED	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	70.000 L80 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	25W		

*Light output tolerance +/- 10%*



PHOTOMETRIC DATA :



---

**ACCESORIES :**

**Assembly**




**Product code:**

F3COX/MMB

**Description:**

FIL 35 ACC. COVER X/MM BK.




**Product code:**

F3COX/MMG

**Description:**

FIL 35 ACC. COVER X/MM GR.



**Product code:**

F3COX/MMW

**Description:**

FIL 35 ACC. COVER X/MM WH.



**Product code:**

F3FX50B

**Description:**

ACC. WALL BRACKET FIL45 50MM BK.



**Product code:**

F3FX50G

**Description:**

ACC. WALL BRACKET FIL35 50MM GR.



**Product code:**

F3FX50W

**Description:**

ACC. WALL BRACKET FIL35 50MM WH.

---

**ACCESORIES :**

**Support**



**Product code:**

F3FX15G

**Description:**

ACC. CEILING BRACKET FIL35 15MM GR.