

F31TR196MOOP830NW

- FIL35 TRIM 1960 5180 WW OPAL WH.

**Description:**

**Finish:** Matte white RAL 9010



**TECHNICAL SPECIFICATIONS:**




|                      |                          |                      |                  |
|----------------------|--------------------------|----------------------|------------------|
| <b>Light output:</b> | 2.989 lm                 | <b>°K :</b>          | 3000             |
| <b>Plum:</b>         | 28W                      | <b>CRI :</b>         | 80               |
| <b>Efficacy:</b>     | 106,8 lm/w               | <b>MacAdam:</b>      | 3                |
| <b>Type:</b>         | MID POWER LED            | <b>Power Supply:</b> | 220-240V 50/60Hz |
| <b>LED Lifetime:</b> | 70.000 L80 B10 (Ta=25°C) | <b>Gear:</b>         | Electronic       |
| <b>Power:</b>        | 25W                      |                      |                  |

*Light output tolerance +/- 10%*




PHOTOMETRIC DATA :

F31TR196MOOP830NW  
 $\eta = 100\%$   
 $I_{max} = 389 \text{ cd/klm}$   
UTE: 1,00E  
CIE: 49 80 97 100 100



ACCESORIES :

Assembly




**Product code:**

F3COX/MMB

**Description:**

FIL 35 ACC. COVER X/MM BK.




**Product code:**

F3COX/MMG

**Description:**

FIL 35 ACC. COVER X/MM GR.



**Product code:**

F3COX/MMW

**Description:**

FIL 35 ACC. COVER X/MM WH.