#### HANCE DOWNLIGHT



#### HD2RE20FL930NB



#### HANCE G2 DOWN REC 2000 9WW FL BK

#### Description:

LAMP multidirectional recessed downlight HANCE G2 DOWN REC 2000. Allowing 355° rotation and tilting up to 30°. Body and frame made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35° flood reflector. LED COB, 3000K and CRI90. Electronic ON OFF control gear included. IP20, IK07 ratings. Insulation Class II. LED life time: 72.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Recessed

#### **TECHNICAL SPECIFICATIONS:**

Light output: 1.918 lm °K: 3000 Plum: 20,8W CRI: 90 Efficacy: 92,2 lm/w R9: 60 Type: СОВ MacAdam: 3

**LED Lifetime:** 72.000 L80B10 (Ta=25°C) **Power Supply:** 220-240V 50/60Hz

**Power:** 18W **Gear:** Electronic

# Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**

























Data according to regulations 2019/2020/EU and 2019/2015/EU

#### HANCE DOWNLIGHT



HD2RE20FL930NB


# HANCE G2 DOWN REC 2000 9WW FL BK


#### **PHOTOMETRIC DATA:**


HD2RE20FL930NB  $\eta$  = 100% Imax = 2218 cd/klm UTE:


CIE: 100 100 100 100 100




















# HANCE DOWNLIGHT



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

#### Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

# Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

# Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

# Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS