## HS2SF10SS940NB



## HANCE G2 SUR 1000 9NW SSP BK

## Description:

LAMP surface multidirectional spotlight HANCE G2 SUR 1000. Allowing 355° rotation and tilting up to 90°. Body made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 10º super spot polycarbonate optics. LED HIGH POWER, 4000K y CRI90. Electronic ON OFF control gear included.IP20, IK07 ratings.Insulation Class I. LED life time: 50.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Surface

## **TECHNICAL SPECIFICATIONS:**

Light output: 737 lm °K: 4000 Plum: 13,9W CRI: 90 Efficacy: 53 lm/w R9: 62 UGR: MacAdam: 3

Type: HIGH POWER Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80B10 (Ta=25°C) Gear: Electronic

13W Power:

## Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU















## **PHOTOMETRIC DATA:**


$$\label{eq:hs2sf20ss940NB} \begin{split} \eta &= 99\% \\ \text{Imax} &= 19026 \text{ cd/klm} \\ \text{UTE:} \end{split}$$


CIE: 103 100 100 100 99




















Data according to regulations 2019/2020/EU and 2019/2015/EU



# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

## Description:

HANCE 1000/2000 ACC. RING DECO BK.



Product code:

HSRI65C

# Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

# Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

# Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

## Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU