

## HS2SF10SS940NW



#### HANCE G2 SUR 1000 9NW SSP WH

#### **Description:**

LAMP surface multidirectional spotlight HANCE G2 SUR 1000. Allowing 355° rotation and tilting up to 90°. Body made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 10° super spot polycarbonate optics. LED HIGH POWER, 4000K y CRI90. Electronic ON OFF control gear included.IP20, IK07 ratings.Insulation Class I. LED life time: 50.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



### Finish: Texturised white RAL 9010

Installation: Surface

#### **TECHNICAL SPECIFICATIONS:**

Light output:	737 lm	⁰K :	4000
Plum:	13,9W	CRI :	90
Efficacy:	53 lm/w	R9 :	62
UGR:	<16	MacAdam:	3
Туре:	HIGH POWER	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80B10 (Ta=25ºC)	Gear:	Electronic
Power:	13W		

#### Light output tolerance +/- 10%



# **CUSTOM MADE OPTIONS:**







HS2SF10SS940NW

HANCE G2 SUR 1000 9NW SSP WH

# **PHOTOMETRIC DATA :**





# ACCESORIES :

## Optical



Product code: HSCU50

Description: HANCE 1000/2000 ACC. CUTTING BEAM



Product code: HSHO50

Description: HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65B

Description: HANCE 1000/2000 ACC. RING DECO BK.



Product code: HSRI65C

Description: HANCE 1000/2000 ACC. RING DECO CO.



Product code: HSRI65M

Description: HANCE 1000/2000 ACC. RING DECO MET.



Product code: HSRI65W

Description: HANCE 1000/2000 ACC. RING DECO WH.



Product code: HSSL50





Product code: HSTR50

Description: HANCE 1000/2000 ACC. DIF TRANS