# Worktitude for light


#### HS2SR10FL830NB



# HANCE G2 SEMIREC 1000 WW FL BK

#### Description:

LAMP semi-recessed multidirectional spotlight HANCE G2 SEMIREC 1000. Allowing 355° rotation and tilting up to 90°. Body made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35° flood reflector. LED COB, 3000K y CRI80. Electronic ON OFF control gear included.IP20, IK07 ratings. Insulation Class II. LED life time: 78.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Semi-Recessed

#### **TECHNICAL SPECIFICATIONS:**

Light output: 1.011 lm °K: 3000 Plum: 8,6W CRI: 80 Efficacy: 117,6 lm/w R9: 60 UGR: <19 MacAdam: 3

Type: COB Power Supply: 220-240V 50/60Hz

LED Lifetime: 78.000 L80B10 (Ta=25°C) Gear: Electronic

Power: 7W

### Light output tolerance +/- 10%





















## **CUSTOM MADE OPTIONS:**



























HS2SR10FL830NB


# HANCE G2 SEMIREC 1000 WW FL BK

#### **PHOTOMETRIC DATA:**

HS2SR10FL830NB  $\eta$  = 100% Imax = 2218 cd/klm UTE: CIE: 100 100 100 100 100









# ACCESORIES:

# Optical



Product code:

HSCU50



HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50



HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C



HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS