

## KOMBIC 100 SURFACE

K11SF2023RW830NWW

- KOMBIC 100 SF 2000 IP23 WW RF WFL WH/WH



**Description:**

**Finish:** Matte white RAL 9010

**Weight:** 502 g

**Installation:** Surface

**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	1.538 lm	<b>°K :</b>	3000
<b>Plum:</b>	14,1W	<b>CRI :</b>	80
<b>Efficacy:</b>	109 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	COB	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L80 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	13W		

*Light output tolerance +/- 10%*




# KOMBIC 100 SURFACE

K11SF2023RW830NWW

KOMBIC 100 SF 2000 IP23 WW RF WFL WH/WH

## PHOTOMETRIC DATA :



**ACCESORIES :**

**Suspension**



**Product code:**  
K11SUADLATBK

**Description:**  
KOMBIC 100 SF ADAPT. LATERAL CABLE BK



**Product code:**  
K11SUADLATWH

**Description:**  
KOMBIC 100 SF ADAPT. LATERAL CABLE WH