Product datasheet

PLAT TECH

PT106040TE40930NW



PLAT TECH G1 600X600 4000 IP40 930 WH

Description:

LAMP recessed PLAT TECH luminaire. Accessories available for other installations. Made of matt white steel with a black polycarbonate tech reflector to control light distribution and reduce glare UGR<13. Model for MID-POWER LED, 3000K colour temperature and CRI 90. Control gear included. IP40 rating (non-LAMP recessed part) and IP20 rating (LAMP recessed part), IK07. Insulation class I. Photobiological safety group 0. Lifetime: 72.000h L80 B10. White finished.



Dimensions: 595 x 595 x 13 mm

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.262 lm	°K :	3000
Plum:	30,9W	CRI :	90
Efficacy:	105,6 lm/w	R9 :	67
UGR:	<13	MacAdam:	3
Туре:	MID POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	72.000 L80 B10 (Ta=25⁰C)	Gear:	Electronic
Power:	27W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light


PLAT TECH

PT106040TE40930NW

PLAT TECH G1 600X600 4000 IP40 930 WH







LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Worktitude for light

Product datasheet

PLAT TECH



ACCESORIES :

Assembly



Product code: PLREFR060 Description: PLAT ACC. FRAME REC 600X600MM WH.



Product code: PLSFFR060 Description: PLAT ACC. FRAME SUR 600X600MM WH.

ACCESORIES : Suspension



Product code: PLSUWI1500 Description: PLAT G3 ACC. SUSP KIT