


QR0D12936WF840N



**QUIET RECTANGLE OCULT 2x9 3600 NW WFL**

**Description:**

LAMP Luminaire integrated in a sound-absorbing structure made of rPET recycled material. Model QUIET RECTANGLE OCULT 2x9 .Acoustic material: Panel thickness 12mm (Option 24mm), board composition: rPET 75% recycled. Fire resistance: B-s1, d0. LOW VOC and Low formaldehyde emissions. Luminaire model OD1RE918WF840NBB 4000K and CRI80. Electronic ON OFF gear included. IP43 rate. Insulation Class I. Photobiological safety group 0. LED life time: 50.000 L90 B10. Standard finishes: K05 Charcoal, Z04 Light Camel and Z97 Cactus Green. Further colours available on request.

**Installation:** Suspended

**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	3.240 lm	<b>°K :</b>	4000
<b>Plum:</b>	40W	<b>CRI :</b>	80
<b>Efficacy:</b>	82,4 lm/w	<b>MacAdam:</b>	3
<b>UGR:</b>	<16	<b>Power Supply:</b>	120-277V 50/60Hz
<b>Type:</b>	HIGH POWER LED	<b>Gear:</b>	Electronic
<b>LED Lifetime:</b>	50.000 L90 B10 (Ta=25°C)		
<b>Power:</b>	18W		

*Light output tolerance +/- 10%*




**CUSTOM MADE OPTIONS:**



QR0D12936WF840N

QUIET RECTANGLE OCULT 2x9 3600 NW WFL


PHOTOMETRIC DATA :



*Essential Colours*



*Trendy Colours*



*Prime Colours*

