

# SHOT 290

SH32906MF830NA



## SHOT 290 G3 5500 830 MFL ANT

### Description:


LAMP outdoor Medium Floodlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 3000K colour temperature, CRI80. Medium Flood optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.

**Finish:** Textured anthracite

**Weight:** 8.608 g

**Maximum surface exposed to wind:** 0 M2

**Installation:** Surface



### TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	4.757 lm	<b>°K :</b>	3000
<b>Plum:</b>	34,8W	<b>CRI :</b>	80
<b>Efficacy:</b>	136,7 lm/w	<b>MacAdam:</b>	3
<b>UGR:</b>	<19	<b>Power Supply:</b>	220-240V 50/60Hz
<b>Type:</b>	MID POWER	<b>Gear:</b>	Electronic
<b>LED Lifetime:</b>	100.000 L90 B10 (Ta=25°C)		
<b>Power:</b>	31,6W		

*Light output tolerance +/- 10%*







### CUSTOM MADE OPTIONS:




PHOTOMETRIC DATA :

SH32906MF830NA  
 $\eta = 100\%$   
 $I_{max} = 2650 \text{ cd/klm}$   
UTE: 1,00A  
CIE: 90 98 100 100 100



ACCESORIES :

Support



**Product code:**  
COARDB120A  
COARIN120A

**Description:**  
ACC. CO ARM DB 120-130 ANT.  
ACC. CO ARM IND 120-130 ANT.



**Product code:**  
COARDB120G  
COARIN120G

**Description:**  
ACC. CO ARM DB 120-130 GR.  
ACC. CO ARM IND 120-130 GR.



**Product code:**  
COARIN060A

**Description:**  
ACC. CO ARM IND 60-135 ANT.



**Product code:**  
COARIN060G

**Description:**  
ACC. CO ARM IND 60-135 GR.



**Product code:**  
COARLODB60A  
COARLODB76A

**Description:**  
ACC. CO ARM LONG DB Ø60 ANT.  
ACC. CO ARM LONG DB Ø76 ANT.



**Product code:**  
COARLODB60G  
COARLODB76G

**Description:**  
ACC. CO ARM LONG DB Ø60 GR.  
ACC. CO ARM LONG DB Ø76 GR.



**Product code:**  
COARLOIN60A  
COARLOIN76A

**Description:**  
ACC. CO ARM LONG IND Ø60 ANT.  
ACC. CO ARM LONG IND Ø76 ANT.



**Product code:**  
COARLOIN60G  
COARLOIN76G

**Description:**  
ACC. CO ARM LONG IND Ø60 GR.  
ACC. CO ARM LONG IND Ø76 GR.



**Product code:**  
COARLOINT080A

**Description:**  
ACC. CO ARM LONG INT ANT.



**Product code:**  
COARLOINT080G

**Description:**  
ACC. CO ARM LONG INT GR.



**Product code:**  
COARSHDB60A  
COARSHDB76A

**Description:**  
ACC. CO ARM SHORT DB Ø60 ANT.  
ACC. CO ARM SHORT DB Ø76 ANT.



**Product code:**  
COARSHDB60G  
COARSHDB76G

**Description:**  
ACC. CO ARM SHORT DB Ø60 GR.  
ACC. CO ARM SHORT DB Ø76 GR.



**Product code:**  
COARSHIN60A  
COARSHIN76A

**Description:**  
ACC. CO ARM SHORT IND Ø60 ANT.  
ACC. CO ARM SHORT IND Ø76 ANT.



**Product code:**  
COARSHIN60G  
COARSHIN76G

**Description:**  
ACC. CO ARM SHORT IND Ø60 GR.  
ACC. CO ARM SHORT IND Ø76 GR.



**Product code:**  
COARSHINT080A

**Description:**  
ACC. CO ARM SHORT INT ANT.



**Product code:**  
COARSHINT080G

**Description:**  
ACC. CO ARM SHORT INT GR.



**Product code:**  
FXARWAA

**Description:**  
ACC. FX ARM WALL ANT.




**Product code:**  
FXARWAG

**Description:**  
ACC. FX ARM WALL GR.

---

**ACCESORIES :**

**Optical**



**Product code:**  
SH29SC297B

**Description:**  
SHOT 290 ACC. ANTIGLARE SCREEN