Product datasheet

SHOT 290

SH32906VW830NG





SHOT 290 G3 5500 830 VWFL GR

Description:

LAMP outdoor Very Wide Floodlight with bracket to install on surface, on pole or column, model SHOT 290 G3 5500. Body made of die-cast lacquered aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for a suitable thermal management. MID-POWER LED, 3000K colour temperature, CRI80. Very Wide Flood optic. Adjustable 270°. ON/OFF electronic gear. IP65 and IK08 rated. Insulation class 1. Lifetime: 100.000 L90 B10 (Ta=25°C). BUG Rate: B3 U0 G0, ULOR: 0%. Easy installation, supplied with hose and connector. Available finishes: anthracite and textured grey.

| Finish: | Tex | turised grey | | |
|----------------------------------|-------|--------------|---|----|
| Weight: | 8.608 | g | | |
| Maximum surface exposed to wind: | | | 0 | M2 |

Installation: Surface

TECHNICAL SPECIFICATIONS:

| Light output: | 4.868 lm | ⁰К: | 3000 |
|---------------|---------------------------|---------------|------------------|
| Plum: | 34,8W | CRI : | 80 |
| Efficacy: | 139,9 lm/w | MacAdam: | 3 |
| Туре: | MID POWER | Power Supply: | 220-240V 50/60Hz |
| LED Lifetime: | 100.000 L90 B10 (Ta=25°C) | Gear: | Electronic |
| Power: | 31,6W | | |

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




Worktitude for light

SHOT 290

SH32906VW830NG

SHOT 290 G3 5500 830 VWFL GR





Worktitude for light

Product datasheet

SHOT 290

ACCESORIES :

Support



Product code: COARDB120A COARIN120A





Product code: COARDB120G COARIN120G

Description: ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.

Worktitude for light



Product code: COARIN060A





Product code: COARIN060G

Description: ACC. CO ARM IND 60-135 GR.



Product code: COARLODB60A COARLODB76A

Description: ACC. CO ARM LONG DB Ø60 ANT. ACC. CO ARM LONG DB Ø76 ANT.



Product code: COARLODB60G COARLODB76G

Description: ACC. CO ARM LONG DB Ø60 GR. ACC. CO ARM LONG DB Ø76 GR.



Product code: COARLOIN60A COARLOIN76A

Description: ACC. CO ARM LONG IND Ø60 ANT. ACC. CO ARM LONG IND Ø76 ANT.



Product code: COARLOIN60G COARLOIN76G

Description: ACC. CO ARM LONG IND Ø60 GR. ACC. CO ARM LONG IND Ø76 GR.



Product code: COARLOINT080A

Description: ACC. CO ARM LONG INT ANT.



Product code: COARLOINT080G

Description: ACC. CO ARM LONG INT GR.


Product datasheet

SHOT 290





Product code: COARSHDB60A COARSHDB76A





Product code: COARSHDB60G COARSHDB76G

Description:

ACC. CO ARM SHORT DB Ø60 GR. ACC. CO ARM SHORT DB Ø76 GR.



Product code: COARSHIN60A COARSHIN76A

Description: ACC. CO ARM SHORT IND Ø60 ANT. ACC. CO ARM SHORT IND Ø76 ANT.



Product code: COARSHIN60G COARSHIN76G

Description: ACC. CO ARM SHORT IND Ø60 GR. ACC. CO ARM SHORT IND Ø76 GR.



Product code: COARSHINT080A

Description: ACC. CO ARM SHORT INT ANT.



Product code: COARSHINT080G

Description: ACC. CO ARM SHORT INT GR.



Description: ACC. FX ARM WALL ANT.



Product code: FXARWAG

Description: ACC. FX ARM WALL GR.

ACCESORIES : Optical

Product code: FXARWAA



Product code: SH29SC297B

Description: SHOT 290 ACC. ANTIGLARE SCREEN

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es